

aerogaz

KITCHEN APPLIANCES

GAS HOB • HOOD • BUILT-IN OVEN



VERSION 2025

WWW.AEROGAZ.COM

Aerogaz
WONDERFULLY SIMPLE



MODERN LIVING SIMPLIFIED

Modern life can be complex.
Rushing here, toiling there.
Leaving you a little bit weary.
This is why at Aerogaz,
We are passionate about making your life
A little easier.
A little simpler.
Our no-fuss, easy-to-use home appliances,
Simplifies the complexities of modern living
So that you can focus on what matters more to you.
Be it sharing a warm meal with family,
Conversations over coffee with a friend,
Or a refreshing shower at the end of the day.
We are there with you to make your life...

WONDERFULLY SIMPLE

WONDERFULLY SIMPLE



CONTENTS

HOBS

TEMPERED GLASS	01-03
STAINLESS STEEL	04-06

HOOD

SLIM SERIES	08-10
TELESCOPIC HOOD	11
CHIMNEY HOOD	12-13


BUILT-IN SERIES

76L ELECTRIC OVEN	15-17
WINE CHILLER/MICROWAVE OVEN	18
STEAM OVEN	19
43L ELECTRIC OVEN/ WATER DISPENSER / DISINFECTION CABINET	20

Induction cooker

INDUCTION / VITRO-CERAMIC HOB	21-22
-------------------------------	-------

30cm Tempered Glass Gas Hob
(Available in City Gas and LPG)




AZ-162F



- Single Burner
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 3.4kw 248g/H
- G110 (Town Gas): 10mbar Σ qn 3.4kw
- 1.5v D.C.
- Actual Dimension: W300 X D510mm
- Cut Out Size: W266 X D478mm

30cm Tempered Glass Gas Hob
(Available in City Gas and LPG)




AZ-262F



- 2 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 4.28kw 312g/H
- G110 (Town Gas): 10mbar Σ qn 4.28kw
- 1.5v D.C.
- Actual Dimension: W300 X D510mm
- Cut Out Size: W266 X D478mm

60cm Tempered Glass Gas Hob
(Available in City Gas and LPG)




AZ-370F



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 7.68kw 560g/H
- G110 (Town Gas): 10mbar Σ qn 7.88kw
- 1.5v D.C.
- Actual Dimension: W600 X D510mm
- Cut Out Size: W552 X D470mm

70cm Tempered Glass Gas Hob
(Available in City Gas and LPG)




AZ-373F



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 6.8kw 496g/H
- G110 (Town Gas): 10mbar Σ qn 7.1kw
- 1.5v D.C.
- Actual Dimension: W700 X D510mm
- Cut Out Size: W552 X D470mm

79cm Tempered Glass Gas Hob

(Available in City Gas and LPG)




AZ-283F



- 2 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σ qn 7.2kw 524g/H
- G110 (Town Gas): 10mbar Σ qn 7.2kw
- 1.5v D.C.
- Actual Dimension: W790 X D500mm
- Cut Out Size: W 645-740 X D 345-470 Mm

79cm Tempered Glass Gas Hob

(Available in City Gas and LPG)



AZ-383F



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σ qn 9.0kw 655g/H
- G110 (Town Gas): 10mbar Σ qn 8.85kw
- 1.5v D.C.
- Actual Dimension: W790 X D500mm
- Cut Out Size: W645-740 X D 345-470 Mm

86cm Tempered Glass Gas Hob

(Available in City Gas and LPG)



AZ-333F



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 7.68kw 560g/H
- G110 (Town Gas): 10mbar Σ qn 7.88kw
- 1.5v D.C.
- Actual Dimension: W865 X D510mm
- Cut Out Size: W722-840 X D430-480mm

86cm Tempered Glass Gas Hob

(Available in City Gas and LPG)




AZ-920F



- 2 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σ qn 7.2kw 524g/H
- G110 (Town Gas): 10mbar Σ qn 7.2kw
- 1.5v D.C.
- Actual Dimension: W865 X D510mm
- Cut Out Size: W722- 840 X D430 - 480 Mm

88cm Tempered Glass Gas Hob (Available in City Gas and LPG)



AZ-933F



- 3 burners
- Cast iron pan support
- Flame failure device
- Battery operated ignition
- G30 (LPG): 30mbar ΣQ_n 9.0kW 655g/h
- G110 (Town Gas): 10mbar ΣQ_n 8.85kW
- 1.5V d.c
- Actual dimension: W 880 x D 520 mm
- Cut out size: W 690-840 x D 390-480 mm

FEATURES



Enamelled Cast Iron Pan Support

- Heavy duty
- Great stability
- Easy cleaning



Flame Failure Device

- Cuts off the gas supply when the flame accidentally goes out



Dual wok burner

- High efficiency



Powerful Flame

- High efficiency



Tempered Glass

- Chamfer edges
- Toughened glass




Flexi Base Hobs

- Equipped with flexible built-in dimensions that suit most of existing hob sizes

29cm Stainless Steel Gas Hob

(Available in City Gas and LPG)




AZ-162SF



- Single Burner
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 3.40kw 248g/H
- G110 (Town Gas): 10mbar Σ qn 3.40kw
- 1.5v D.C.
- Actual Dimension: W290 X D500mm
- Cut Out Size: W266 X D478mm

29cm Stainless Steel Gas Hob

(Available in City Gas and LPG)




AZ-262SF



- 2 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28mbar Σ qn 4.28kw 312g/H
- G110 (Town Gas): 10mbar Σ qn 4.28kw
- 1.5v D.C.
- Actual Dimension: W290 X D500mm
- Cut Out Size: W266 X D478mm

58cm Stainless Steel Gas Hob

(Available in City Gas and LPG)




AZ-370SF



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition / Electronic Ignition
- G30 (LPG): 28mbar Σ qn 6.8kw 496g/H
- G110 (Town Gas): 10mbar Σ qn 6.9kw
- 1.5v D.C.
- Actual Dimension: W580 X D500mm
- Cut Out Size: W552 X D470mm

68cm Stainless Steel Gas Hob

(Available in City Gas and LPG)



AZ-373SF



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σ qn 6.80kw 530g/H
- G110 (Town Gas): 10mbar Σ qn 7.30kw
- 1.5v D.C.
- Actual Dimension: W680 X D500mm
- Cut Out Size: W552 X D470mm

78cm Stainless Steel Gas Hob
(Available in City Gas and LPG)



AZ-283SF

1
YEAR

78
CM


Flame Failure Device

Battery Operated Ignition

Easy to Clean

- 2 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σqn 7.2kw 524g/H
- G110 (Town Gas): 10mbar Σqn 7.2kw
- 1.5v D.C.
- Actual Dimension: W780 X D500mm
- Cut Out Size: W645-768 X D345-488 Mm

78cm Stainless Steel Gas Hob
(Available in City Gas and LPG)



AZ-383SF

1
YEAR

78
CM


Flame Failure Device

Battery Operated Ignition

Easy to Clean

- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σqn 9.0kw 655g/H
- G110 (Town Gas): 10mbar Σqn 8.85kw
- 1.5v D.C.
- Actual Dimension: W780 X D500mm
- Cut Out Size: W645-768 X D345-488 Mm

86cm Stainless Steel Gas Hob
(Available in City Gas and LPG)



AZ-333SF

1
YEAR

86
CM

Flame Failure Device


Battery Operated Ignition

Easy to Clean

- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 28-30mbar Σqn 7.40kw 539g/H
- G110 (Town Gas): 10mbar Σqn 7.50kw
- 1.5v D.C.
- Actual Dimension: W860 X D500mm
- Cut Out Size: W722-840 X D430-480mm



88cm Stainless Steel Gas Hob (Available in City Gas and LPG)



AZ-932SF



- 2 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σq_n 7.2kw 524g/H
- G110 (Town Gas): 10mbar Σq_n 7.2kw
- 1.5v D.C.
- Actual Dimension: W880 X D510 Mm
- Cut Out Size: W690-868 X D390-498 Mm

88cm Stainless Steel Gas Hob (Available in City Gas and LPG)



AZ-933SF



- 3 Burners
- Cast Iron Pan Support
- Flame Failure Device
- Battery Operated Ignition
- G30 (LPG): 30mbar Σq_n 9.0kw 655g/H
- G110 (Town Gas): 10mbar Σq_n 8.85kw
- 1.5v D.C.
- Actual Dimension: W880 X D510 Mm
- Cut Out Size: W690-868 X D390-498 Mm

FEATURES



Flame Failure Device

- Cuts off the gas supply when the flame accidentally goes out



Dual Wok Burner

- High efficiency



Powerful Flame

- High efficiency



Fully Sealed Burner Base

- Prevent water from seeping through the hob surface



304 Stainless Steel

- High grade stainless steel quality with matte finishes



Flexi Base Hobs

- Equipped with flexible built-in dimensions that suit most of existing hob sizes



HOOD


We manufacture stylish and reliable cooker hoods of various sizes to suit your need.

Our models are quiet and always have the best performance in our design.

You will definitely love to have one in your kitchen.



60cm Slim Lux Hood




AZ-6009

- 3-Speed Push Button
- Stainless Steel Chasis
- 450m³/Hr Extraction Capacity
- Front Push Button
- 2 X 100w Motor Fan
- 1 X 1.5w LED Light
- Washable Aluminium Grease Filters
- Re-Circulation Mode
- Aluminum Filter X 2
- Dimensions: W595 X D470 X H100mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 201.5w
- Noise: ≤62db

60cm Slim Lux Hood




AZ-6008

- 3-Speed Push Button
- Stainless Steel Chasis
- 450m³/Hr Extraction Capacity
- Sensor Touch Control
- 2 X 75w Motor Fan
- 2 X 2.0w LED Light
- Washable Aluminium Grease Filters
- Re-Circulation Mode
- Aluminum Filter X 2
- Dimensions: W600 X D470 X H100mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 154w
- Noise: ≤62db

60cm Slim Lux Hood



AZ-6880

- 3 Speed Push Button
- Max Extraction Power: 400m³/H
- Re-Circulation Mode
- 2 X 100w Motor Fan
- 1 X 1.5w LED Light
- 2 X Aluminum Grease Filters
- 2 X Charcoal Filters
- 430 Stainless Steel Slim Hood
- Dimensions: W595 X D480 X H100mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 201.5w
- Noise: ≤62db


FEATURES



Mechanical Switch



Touch Switch



Charcoal Filter




Mesh-wire Filter Easy to Clean

Recirculation

- Hoods with recirculation are powerful and energy-efficient
- Odours and grease are extracted and filtered.
- The purified air is returned to the room.
- As no ducting openings are necessary, no energy can escape.

60cm Slim Hood




AZ-6700

- 3 speed push button
- Max Extraction Power: 600m³/h
- Re-circulation Mode
- 2 x 75W Motor Fan
- 2 x 1.5W LED light
- 2 x Aluminium Grease Filters
- 2 x Charcoal Filters
- Front push button
- 304 Stainless steel slim hood
- Dimensions: W596 x D420 x H122mm

Power supply

- Voltage: 220-240V~
- Frequency: 50/60Hz
- Total power: 153W
- Noise: <62dB

90cm Slim Hood




AZ-9700

- 3 speed push button
- Max Extraction Power: 600m³/h
- Re-circulation Mode
- 2 x 75W Motor Fan
- 2 x 1.5W LED light
- 3 x Aluminium Grease Filters
- 2 x Charcoal Filters
- Front push button
- 304 Stainless steel slim hood
- Dimensions: W896 x D420 x H122mm

Power supply

- Voltage: 220-240V~
- Frequency: 50/60Hz
- Total power: 153W
- Noise: <62dB

60cm Slim Hood




AZ-6100

- Max Extraction Power: 600m³/h
- Re-circulation Mode
- 2 x 75W Motor Fan
- 2 x 1.5W LED light
- 2 x Aluminium Grease Filters
- 2 x Charcoal Filters
- Black paint color
- Three speed touch control
- Dimensions: W596 x D420 x H122mm

Power supply

- Voltage: 220-240V~
- Frequency: 50/60Hz
- Total power: 153W
- Noise: <62dB

90cm Slim Hood



AZ-9100


- Max Extraction Power: 600m³/h
- Re-circulation Mode
- 2 x 75W Motor Fan
- 2 x 1.5W LED light
- 3 x Aluminium Grease Filters
- 2 x Charcoal Filters
- Black paint color
- Three speed touch control
- Dimensions: W896 x D420 x H122mm

Power supply

- Voltage: 220-240V~
- Frequency: 50/60Hz
- Total power: 153W
- Noise: <62dB


90cm Super Slim Hood

Two snap-in active charcoal filters



90cm Super Slim Hood

Two snap-in active charcoal filters



AZ-9900

- 3-Speed Control
- Stainless Steel Chassis
- 500m³/Hr Extraction Capacity
- Front Push Button
- On / Off Pilot Light
- Two 55 W Motors
- 40w E14 Lamp
- Three Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Two Snap-In Active Charcoal Filters
- Actual Dimension: W900 X D452 X H85mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 150w


AZ-9980

- 3-Speed Control
- Stainless Steel Chassis
- 500m³/Hr Extraction Capacity
- Sensor Touch Control
- On / Off Pilot Light
- Two 55 W Motors
- 40w E14 Lamp
- Three Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Two Snap-In Active Charcoal Filters
- Actual Dimension: W900 X D452 X H85mm


Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 150w

90cm Slim Lux Hood



90cm Slim Lux Hood



AZ-9880

- 3 Speed Push Button
- Max Extraction Power: 400m³/H
- Re-Circulation Mode
- Two 80w Motor
- 1 X 1.5w Led Light
- 3 X Aluminum Grease Filters
- 2 X Charcoal Filters
- 430 Stainless Steel Slim Hood
- Dimensions:
W900 X D480 X H100mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 163w
- Noise: <62db


AZ-9881

- 3 Speed Push Button
- Max Extraction Power: 400m³/H
- Re-Circulation Mode
- Two 80w Motor
- 1 X 1.5w LED Light
- 3 X Aluminum Grease Filters
- 2 X Charcoal Filters
- 430 Stainless Steel Slim Hood
With Black Acrylic Plate
- Dimensions:
W900 X D483 X H100mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 163w
- Noise: <62db

90cm Telescopic Hood




AZ-9600

- 2-Speed Push Slide Switch
- Max Extraction Power: 500m³/H
- Re-Circulation Mode
- 1 X 150w Motor Fan
- 1 X 2w Rectangular LED Light
- 2 X Aluminium Grease Filters
- 2 X Charcoal Filters
- Inox 430 SS Body / Cold Rolled Plate
- Dimensions: W900 X D297 X H205mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 153w
- Noise: <60db

90cm Built-in Hood




AZ-9800

- 3 Speed Push Button
- Max Extraction Power: 600m³/H
- Re-Circulation Mode
- 2 X 120w Motor Fan
- 2 X 1.5w LED Light
- 3 X Aluminium Grease Filter
- 2 X Charcoal Filters
- Front Push Button
- 304 Stainless Steel Slim Hood
- Dimensions: W896 X D420 X H122mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 243w
- Noise: <65db

90cm Telescopic Hood




AZ-6500

- 2-Speed Push Slide Switch
- Max Extraction Power: 500m³/H
- Re-Circulation Mode
- 1 X 90w Motor Fan
- 1 X 2w Rectangular LED Light
- 2 X Aluminium Grease Filters
- 2 X Charcoal Filters
- Black Painting
- Dimensions: W595 X D297 X H203mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50hz
- Top Power: 92w
- Noise: <60db

90cm Telescopic Hood



AZ-9500

- 2-Speed Push Slide Switch
- Max Extraction Power: 500m³/H
- Re-Circulation Mode
- 1 X 90w Motor Fan
- 1 X 2w Rectangular LED Light
- 2 X Aluminium Grease Filters
- 2 X Charcoal Filters
- Black Painting
- Dimensions: W895 X D297 X H203mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50hz
- Top Power: 92w
- Noise: <60db


90cm Chimney Hood

**AZ-3508**

- 3 Speed Control
- Sensor Touch Control
- Black Painted Material
- 800m³/Hr Extraction Capacity
- LED Lamps
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Actual Dimension:
W900xd500xh550-1030

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 193w
- Noise: <65db




90cm Chimney Hood

**AZ-3509**

- 3 Speed Control
- Sensor Touch Control
- Stainless Steel Chasis
- 800m³/Hr Extraction Capacity
- LED Lamps
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Actual Dimension:
W900xd500xh550-1030

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 193w
- Noise: <65db




90cm Chimney Hood

**AZ-3388C2**

- 3 Speed Control
- 2 X 20w Halogen Light
- 1000m³/Hr Extraction Capacity
- Glass Wing
- Electronic Button
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Actual Dimension:
W895 X D500 X H685mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 230w
- Noise: <65db




90cm island hood

**AAZ-3388IS**


- 3 Speed Control
- Stainless Steel Chasis
- 800m³/Hr Extraction Capacity
- Glass Wing
- Halogen Lamps
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Dimension:
W890 X D500 X H500mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 270w
- Noise: <65db



90cm Chimney Hood




AZ-3503D

- 3 Speed Control
- Stainless Steel Chasis
- 800m³/Hr Extraction Capacity
- 2 x 1.5W LED light
- 200W Motor Fan
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Dimension:
W898 x D470 x H1060mm

Power supply

- Voltage: 220-240V~
- Frequency: 50/60Hz
- Total power: 203W
- Noise: <65dB

90cm Chimney Hood




AZ-3502C

- 3 Speed Push Button
- Max Extraction Power: 900m³/h
- Re-circulation Mode
- 200W Motor Fan
- 2 x 1.5W LED light
- 3 x Aluminum Grease Filters
- 2 x Charcoal Filters
- 2 x 470mm chimney
- Air outler: 150mm
- 304 Stainless Steel Chimney Hood
- Dimensions: W898 x D470 x H470mm

Power supply

- Voltage: 220-240V~
- Frequency: 50/60Hz
- Total power: 203W
- Noise: <65dB

60cm Chimney Hood




AZ-3503C (60cm)

- 3 Speed Control
- 60cm Chimney Hood
- 3 Speed Control
- Stainless Steel Chassis
- 800m³/Hr Extraction Capacity
- Halogen Lamps
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Actual Dimension:
W600 X D500 X H400mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 193w
- Noise: <65db

90cm Slim Hood



AZ-3503C (90cm)

- 3 Speed Control
- 90cm Chimney Hood
- 3 Speed Control
- Stainless Steel Chassis
- 800m³/Hr Extraction Capacity
- Halogen Lamps
- Washable Aluminium Grease Filters
- Turbo Exhaust Power
- Actual Dimension:
W900 X D500 X H400mm


Power Supply

- Voltage: 220-240v~
- Frequency: 50/60hz
- Total Power: 193w
- Noise: <65db

Built-in oven




Perfect Baking




Light:

The oven light will automatically turn on once any function is selected.




Fan Defrost:

The oven fan assists defrosting by circulating air around the food, ideal for delicate frozen foods such as cream gateaux and cheesecakes.




Top Element + Bottom Element:

A conventional oven works on the principle that heat rises. It is hotter at the top than at the bottom – ideal for cooking different dishes simultaneously.




Fan Heating (fan force):

The heating element surrounds a fan which distributes hot air around the oven. The result is a more even temperature throughout the oven and much faster cooking – ideal for batch baking.




Half Grill:

This feature allows you to use the entire grill, or just part of it for grilling smaller quantities economically.




Full Grill:

The conventional grill cooks by using heat from above the food and is ideal for a range of foods from toast to steak.




Full Grill + Fan:

The fan circulates heat from the oven grill around the food, simultaneously browning and sealing in the juices.




Bottom Element + Fan:

Ideal for dishes that require bottom heat, such as pizzas.




Bottom Element:

This setting allows you to cook pizza bases, flans and pastries without drying the toppings.




Top Element:

Ideal for browning foods, such as rice pudding and cauliflower cheese, as heat is not as strong as the grill function.



Rotisserie:

Ideal for cooking on the spit, grilling and gratinating. This function must always be used with half-open door and control protection in position.



Top Element + Bottom Element + Fan:

The top and bottom elements together with the fan, which is mounted in the back panel, help to distribute heat evenly throughout the oven. This function helps to bake the perfect pastry as blind baking is not required.

73L Built-in Oven 5 Functions




AZ-3201B



- 60cm Width Electric Oven
- 5 Cooking Functions
- Black Enamel Cavity
- 60mins Mechanical Timer
- Adjustable Temperature Control Between 50 °C ~250 °C
- Include Cooling Fan, Rotisserie
- Double Layer Door Glass
- Mounted Cavity Shevles
- Deep Black Glass
- Actual Dimensions: W595 X D546 X H598mm
- Dimensions Including Handle : W595 X D614 X H598mm
- Cut Out Dimensions: W560 X D550 X H589mm

Power Supply:

- Voltage: 220-240v~
- Frequency: 50/60hz
- Power: 2700-3220w



73L Built-in Oven 5 Functions




AZ-3201S



- 60cm Width Electric Oven
- 5 Cooking Functions
- Black Enamel Cavity
- 60mins Mechanical Timer
- Adjustable Temperature Control Between 50 °C ~250 °C
- Include Cooling Fan, Rotisserie
- Double Layer Door Glass
- Mounted Cavity Shevles
- Stainless Steel Multi-Function Oven
- Actual Dimensions: W595 X D546 X H598mm
- Dimensions Including Handle : W595 X D614 X H598mm
- Cut Out Dimensions: W560 X D550 X H589mm

Power Supply:

- Voltage: 220-240v~
- Frequency: 50/60hz
- Power: 2700-3220w



BUILT-IN OVEN

73L Built-in Oven 8 Functions




AZ-3203B



- 60cm Width Electric Oven
- 8 Cooking Functions
- Black Enamel Cavity
- 60mins Mechanical Timer
- Adjustable Temperature Control
Between 50 °C ~250 °C
- Include Cooling Fan, Convection Fan
- 3-Layer Glass Oven Doors
- Mounted Cavity Shevles
- Deep Black Glass
- Actual Dimensions:
W595 X D546 X H598mm
- Dimensions Including Handle :
W595 X D614 X H598mm
- Cut Out Dimensions:
W560 X D550 X H589mm

Power Supply:

- Voltage: 220-240v~
- Frequency: 50/60hz
- Power: 2700-3220w



73L Built-in Oven 8 Functions




AZ-3203S





- 60cm Width Electric Oven
- 8 Cooking Functions
- Black Enamel Cavity
- 60mins Mechanical Timer
- Adjustable Temperature Control
Between 50 °C ~250 °C
- Include Cooling Fan, Convection Fan
- 3-Layer Glass Oven Doors
- Mounted Cavity Shevles
- Stainless Steel Multi-Function Oven
- Actual Dimensions:
W595 X D546 X H598mm
- Dimensions Including Handle :
W595 X D614 X H598mm
- Cut Out Dimensions:
W560 X D550 X H589mm

Power Supply:

- Voltage: 220-240v~
- Frequency: 50/60hz
- Power: 2700-3220w



Wine Chiller



AZ-8024WC

- 3 Speed Control
- 24 Bottles
- Digital Display
- Homogeneous 5°C - 22°C
- 3 Wooden Shelves / Internal Light
- Anti-Uv Treatment Glass Door
- Noise: 42db
- Product Size: W592 X H455 X D545mm
- Cut Out Size: W570 X H550 X D450mm
(Fixed Buckle: 5mm / Under The Fixed Buckle: 3mm)

Power Supply

Voltage: 220v- 240v

Frequency: 50hz

Power: 100w

25L Built-in Microwave Oven with Convection






AZ-252MW

- Tempered Glass Finishing
- Full-Touch Control Programmer
- 10 Auto Cooking Menus
- Digital Timer
- Touch Control
- LED Display
- Child Safety Lock
- Speedy Defrost
- Classic Black

Power Supply:

- Voltage: 230v
- Frequency: 50hz
- Microwave Output: 900w
- Grill Power: 1100w
- Convection Power: 2500w
- Product Size: W595 X L471 X H388mm
- Cut Out Size: W560 X L550 X H362mm



BUILT-IN STEAM OVEN

53L Wi-Fi Steam Oven 5 Functions



AZ-9032SO

- Tempered Glass
- Touch Control
- Digital Timer
- Temperature Control Between 40°C - 100°C
- Steamer Stops Automatically Upon Opening The Door
- Child Safety Lock
- Large Capacity Of 1.4L Water Tank
- Actual Dimensions:
W595 X D509 X H447mm
- Dimensions Including Handle :
W595 X D614 X H455mm
- Cut Out Dimensions:
W560 X D550 X H450mm

Power Supply

- Voltage: 220-240v~
- Frequency: 50hz
- Total Rated Power: 2060w

App features

- Able to store cooking recipes
- Timer and temperature control
- Remote control
- Usage notification
- Error notification
- Data analytics



Advanced steam system

Steam is generated from internal heating element and injected into the cavity directly, which creates a consistent temperature for better cooking result.





Solo steam

Cooked by the efficient steam system, the foods get more nutritive and healthy compared with the traditional cooking, whereas the originally valuable nutrition is immensely kept inside the foods.



Easy to clean

Thanks to the injection steam system, the greasy dirt and residuals are easy to clean.



43L Electric Oven 8 Functions




AZ-8043EO

- Full-Touch Control Programmer
- Digital Timer
- Removable Glazing Door
- Double-Glazed Cool Touch Door
- Enamel Cavity
- Actual Dimension: W595 X D540 X H455mm
- Cut Out Size: W560 X D570 X H448mm

Power Supply:

- Voltage: 220v-240v
- Frequency: 50hz
- Power: 2300-2750w



Water Dispenser




AZ-8002WD

- Two Types Of Water Sources: Tap Water And Purified Water
- Heating Capacity: 5.0L /H
- Cooling Capacity: 0.5L /H
- Multi Functions: Hot Water, Cold Water And Continuous Water
- With Child Lock
- Product Size: W595 X H455 X D397mm
- Embedding Dimension: W564 X H453 X D550mm

Power Supply

- Voltage: 220v- 240v
- Frequency: 50hz
- Power: 650w



110L Disinfection Cabinet




AZ-8110DC


- Capacity: 110 (+5/-10) L
- Sterilization Methods:
 - 1) Low Temperature (Ozone & UV)
 - 2) PTC Hot Wind
- Maximum Load Weight:
 - 1) Top: 6kg±1kg
 - 2) Bottom: 10kg±1kg
- Product Size: W595 X H630 X D516mm
- Cut Out Size: W565 X H615 X D550mm

Power Supply

- Voltage: 220V- 240V
- Frequency: 50Hz
- Power: 315W



30cm Induction Hob




AZ-3328iC


- Front Touch Control Operation
- 9 Level Power Each Burner
- 1.8kw Speed Zone(Diameter 180mm) X 1
- 1.3kw Speed Zone(Diameter 140mm) X 1
- Individual Residual Heat Indicators: 2
- Timer Control For Individual Zone
- Actual Dimension: W305 X D515 X H55mm
- Cut Out Size: W280 X D495mm

Power Supply

- Voltage: 220v-240v~
- Frequency: 50/60hz
- Power: 2800w



30cm Induction Hob




AZ-3329iC


- Front Touch Control Operation
- 9 Level Power Each Burner
- 1.8kw Speed Zone(Diameter 180mm) X 1
- 1.3kw Speed Zone(Diameter 140mm) X 1
- Individual Residual Heat Indicators: 2
- Timer Control For Individual Zone
- Actual Dimension: W305 X D515 X H55mm
- Cut Out Size: W280 X D495mm

Power Supply

- Voltage: 220v-240v~
- Frequency: 50/60hz
- Power: 2800w



59cm 3-Zone Induction Hob




AZ-6328iC

- Front Touch Control Operation
- 9 Level Power For Each Burner
- Power Boost Function Delivers Maximum Heat For Up To 5 Minutes
- Includes Automatic Safety Switch-Off And Pan Detection
- Dry Burn And Overflow Water Protection
- Alarms And Protection Against Higher/ Incorrect Voltage And Overheating
- Actual Dimension: W590 X D520x H55mm
- Cut Out Size: W570 X D490mm

Power Supply

Voltage: 220-240v~
Frequency: 50/60Hz
Top Left Power: 2200W Bottom Left Power: 1600W
Right Power: 2200W Max Power: 6000W
Amp: 15A/20A/30A

70cm 2-Zone Induction Hob




AZ-7328iC

- Full Black Crystal Glass, Sleek Design, Easy To Clean
- Metal Housing, Durable Used
- 4 Digital Display
- Child Lock Function
- Safety Device Protect
- Front Touch Control Operation
- 2.0kw Speed Zone (Diameter 180mm) X 1
- 2.0kw Speed Zone (Diameter 180mm) X 1
- Individual Residual Heat Indicators:2
- Actual Dimension: W714 X D424 X H75mm
- Cut Out Size: W670xd398mm


Power Supply:

- Voltage: 220V-240V~
- Frequency: 50/60Hz
- Power: 2800W

30cm Vitro-ceramic Hob



New




AZ-3028VC

- Front Touch Control Operation
- 3kw Max Power
- 1.2kw Hyperspeed Zone (Diameter 165mm) X 1
- 1.8kw Hyperspeed Zone (Diameter 200mm) X 1
- Individual Residual Heat Indicators: 2
- Actual Dimension: W290 X D520mm
- Cut Out Size: W270 X D500mm


Power Supply

- Voltage: 220v-240v~
- Frequency: 50/60hz
- Power: 3000w

60cm Vitro-ceramic Hob



New




AZ-6528VC

- Front Touch Control Operation
- 6.4kw Max Power
- 1.2kw Hyperspeed Zone (Diameter 165mm) X 1
- 1.8kw Double Hyperspeed Zone (Diameter 200mm) X 1
- 1.2/1.6kw Double Hyperspeed Zone (Diameter 165mm) X 1
- 1.0/2.2kw Double Hyperspeed Zone (Diameter 138/230mm) X 1
- Individual Residual Heat Indicators: 4
- Digital Timer
- Safety Locking System
- Actual Dimension: W590 X D520mm
- Cut Out Size: W570 X D500mm

Power Supply

- Voltage: 220v-240v~
- Frequency: 50/60hz
- Power: 6400w

70cm Induction + Vitro-ceramic Hob




AZ-7388iV

- Full Black Crystal Glass, Sleek Design, Easy To Clean
- Metal Housing, Durable Used
- 4 Digital Display
- Child Lock Function
- Safety Device Protect
- Front Touch Control Operation
- 2.0kw Speed Zone (Diameter 180mm) X 1
- 2.2kw Speed Zone (Diameter 210mm) X 1
- Individual Residual Heat Indicators:2
- Actual Dimension: W714 X D424 X H75mm
- Cut Out Size: W670 X D398mm

Power Supply:

- Voltage: 220v-240v~
- Frequency: 50/60hz
- Power: 2800w

70cm Vitro-ceramic Hob



AZ-7348VC

- Full Black Crystal Glass, Sleek Design, Easy To Clean
- Metal Housing, Durable Used
- 4 Digital Display
- Child Lock Function
- Safety Device Protect
- Front Touch Control Operation
- 2.2kw Speed Zone (Diameter 210mm) X 1
- 2.2kw Speed Zone (Diameter 210mm) X 1
- Individual Residual Heat Indicators:2
- Actual Dimension: W714 X D424 X H75mm
- Cut Out Size: W670 X D398mm

Power Supply:

- Voltage: 220v-240v~
- Frequency: 50/60hz
- Power: 2800w

aerogaz



For more details,
scan the QR code
to enter the website



Aerogaz (S) Pte Ltd



1 Loyang Way 1 Singapore 508702



+(65) 6746 9933 Fax: +(65) 6745 9923



www.aerogaz.com

Aerogaz has a policy of continuous improvement on its products and reserves the right to change materials, specifications and colour availability without notice.

Version 2025